

Applicant : Shah et al.  
Serial No. : 09/760,375  
Filed : January 22, 2001

Attorney's Docket No.: 10559-419001/P10488  
Intel Corporation

Amendment to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

1. (currently amended) A method comprising:  
examining a call and a file descriptor associated with the call in an application node of a system area network, the call corresponding to an application program interface for a first transport-layer connection-oriented protocol; and  
if the call and the file descriptor are of a first type, translating the call to one or more protocol messages recognized by a second node in the system area network, the one or more protocol messages being defined by a second transport-layer connection-oriented protocol, and communicating the one or more protocol messages to the second node for processing according to the first transport-layer connection-oriented protocol;  
wherein the first type comprises transport, being of a partition of a file descriptor range.

2. (original) The method of claim 1 including processing the call using an operating system of the application node if the call and the file descriptor are of a second type.

3. (original) The method of claim 1 including assigning the file descriptor using an operating system of the application node.

4. (previously presented) The method of claim 1 including mapping a communications identifier, received in the application node from the second node and corresponding to a

Applicant : Shah et al.  
Serial No. : 09/768,375  
Filed : January 22, 2001

Attorney's Docket No.: 10559-419001/P10488  
Intel Corporation

network connection managed by the second node, to the file descriptor.

5. (currently amended) A system area network comprising:  
a first node; and  
an application node including a processor configured  
for:

examining a call and a file descriptor associated with  
a call in the application node, the call corresponding to an  
application program interface for a first transport-layer  
connection-oriented protocol; and

if the call and the file descriptor are of a first  
type, translating the call to one or more protocol messages  
recognized by the first node for processing according to the  
first transport-layer connection-oriented protocol, the one or  
more protocol messages being defined by a second transport-layer  
connection-oriented protocol;

wherein the first type comprises transport, being of a  
partition of a file descriptor range.

6. (original) The system area network of claim 5 further  
including a network node, wherein the first node is a proxy node  
including a processor configured for translating the call to a  
protocol recognized by the network node.

7. (original) The system area network of claim 5 wherein  
the processor is further configured for translating a call to a  
lightweight protocol message.

Applicant : Shah et al.  
Serial No. : 09/768,375  
Filed : January 22, 2001

Attorney's Docket No.: 10559-419001/P10488  
Intel Corporation

8. (original) The system area network of claim 5 wherein the processor is further configured for translating a plurality of calls to a single lightweight protocol message.

9. (original) The system area network of claim 5 wherein the processor is further configured for translating the call to a plurality of lightweight protocol messages.

10. (original) The system area network of claim 5 wherein the processor is configured for translating the call to a lightweight protocol message using a lightweight protocol message received from the first node.

11. (original) The system area network of claim 5 wherein the processor is further configured for translating more than one call to a lightweight protocol message using a lightweight protocol message received from the first node.

12. (original) The system area network of claim 5 wherein the processor is further configured for translating the call to a lightweight protocol message using a plurality of lightweight protocol messages received from the first node.

13. (original) The system area network of claim 5 wherein the application node includes an operating system for processing the call if the file descriptor is of a second type.

14. (original) The system area network of claim 5 wherein the application node further includes an operating system for assigning the file descriptor.

Applicant : Shah et al.  
Serial No. : 09/768,375  
Filed : January 22, 2001

Attorney's Docket No.: 10559-419001/P10488  
Intel Corporation

15. (previously presented) The system area network of claim 5 wherein the processor is further configured for mapping a communications identifier, received in the application node and corresponding to a network connection managed by the first node, to the file descriptor.

16. (currently amended) An apparatus comprising:  
a port for connecting the apparatus to a system area network; and  
a processor configured for:  
examining a call and a file descriptor associated with the call, the call corresponding to an application program interface for a first transport-layer connection-oriented protocol; and  
if the call and the file descriptor are of a first type, translating the call to one or more protocol messages recognized by a system area network device, the one or more protocol messages being defined by a second transport-layer connection-oriented protocol, and sending the one or more protocol messages through the port addressed to the system area network device for processing according to the first transport-layer connection-oriented protocol;  
wherein the first type comprises transport, being of a partition of a file descriptor range.

17. (original) The apparatus of claim 16 further comprising an operating system for processing the call if the call and the file descriptor are of a second type.

18. (original) The apparatus of claim 16 further comprising an operating system for assigning the file descriptor.

Applicant : Shah et al.  
Serial No. : 09/768,375  
Filed : January 22, 2001

Attorney's Docket No.: 10559-419001/P10488  
Intel Corporation

19. (previously presented) The apparatus of claim 16 wherein the processor is further configured for mapping a communications identifier, received at the apparatus and corresponding to a network connection managed by the system area network device, to the file descriptor.

20. (currently amended) An article comprising a computer-readable medium that stores computer executable instructions for causing a computer system to:

examine a call and a file descriptor associated with a call in an application node of a system area network, the call corresponding to an application program interface for a first transport-layer connection-oriented protocol; and

if the call and the file descriptor are of a first type, translate the call to one or more protocol messages recognized by a second node in the system area network, the one or more protocol messages being defined by a second transport-layer connection-oriented protocol, and send the one or more protocol messages to the second node for processing according to the first transport-layer connection-oriented protocol;

wherein the first type comprises transport, being of a partition of a file descriptor range.

21. (original) The article of claim 20 further comprising instructions for causing the computer system to process the call using an operating system in the application node.

22. (original) The article of claim 20 further comprising instructions for causing the computer system to assign the file descriptor using an operating system of the application node.

Applicant : Shah et al.  
Serial No. : 09/768,375  
Filed : January 22, 2001

Attorney's Docket No.: 10559-419001/P10488  
Intel Corporation

23. (previously presented) The article of claim 20 further comprising instructions for causing the computer system to map a communications identifier, received in the application node and corresponding to a network connection managed by the second node, to the file descriptor.